

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

	and the second s			
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/617,862	07/14/2003	Stephane Goyette	702-B01.US	3810
7590 09/19/2005			EXAMINER	
Stephane GOYETTE c/o PROTECTIONS EQUINOX INT'L INC. Suite 224			NGUYEN, CAMTU TRAN	
			ART UNIT	PAPER NUMBER
448 Cote-de-Liesse			3743	
Montreal, QC H4N 2R1 CANADA			DATE MAILED: 09/19/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		VI				
	Application No.	Applicant(s)				
	10/617,862	GOYETTE, STEPHANE				
Office Action Summary	Examiner	Art Unit				
	Camtu T. Nguyen	3743				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	th the correspondence address				
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory pe Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNIC R 1.136(a). In no event, however, may a re riod will apply and will expire SIX (6) MON tatute, cause the application to become AB.	CATION. apply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status		·				
1) Responsive to communication(s) filed on 1	4 July 2003.					
2a) This action is FINAL . 2b)	This action is FINAL . 2b) This action is non-final.					
3) Since this application is in condition for allo	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice und	er <i>Ex parte Quayle</i> , 1935 C.D.	. 11, 453 O.G. 213.				
Disposition of Claims	.*					
4)⊠ Claim(s) <u>1-51</u> is/are pending in the applicat	.· tión					
4a) Of the above claim(s) is/are with						
5) Claim(s) is/are allowed.		• *				
6) Claim(s) is/are rejected.	•					
7) Claim(s) is/are objected to.						
8) Claim(s) 1-51 are subject to restriction and	or election requirement.					
Application Papers						
9) The specification is objected to by the Exam	niner.					
10) The drawing(s) filed on is/are: a)		by the Examiner.				
Applicant may not request that any objection to						
Replacement drawing sheet(s) including the cor	rrection is required if the drawing(s) is objected to. See 37 CFR 1.121(d).				
11) The oath or declaration is objected to by the	e Examiner. Note the attached	Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for fore a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority docum		119(a)-(d) or (f).				
Certified copies of the priority docum Certified copies of the priority docum	•	onlication No				
3. Copies of the certified copies of the						
application from the International Bu	· .	, occurred in time stational cauge				
* See the attached detailed Office action for a		received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	· —	ummary (PTO-413))/Mail Date				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB 	′	formal Patent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:	<u> </u>				

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-16, 39-51, drawn to an adjuster device, classified in class 128, subclass848.
- II. Claims 17-38, drawn to an anti-snoring device, classified in class 128, subclass848.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because claims 1 and 39 do not set for the details of the subcombination to the extent set forth in claim 17. The subcombination has separate utility such as it requires the air passageway in during a procedure.

Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.

Art Unit: 3743

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Camtu T. Nguyen whose telephone number is 571-272-499. The examiner can normally be reached on (M-F) 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry A. Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Camtu Nguyen September 14, 2005

Henry Bennett

supervisory Patent Examiner